

Dynamically Allocated Data Members, Overloading Operators

Shahram Rahatlou



SAPIENZA
UNIVERSITÀ DI ROMA

<http://www.roma1.infn.it/people/rahatlou/programmazione++/>

Corso di Programmazione++

Roma, 20 April 2009

Today's Lecture

- More on dynamically allocated data members
- Operators in C++
- Overloading operators
- special pointer **this**
- Examples
 - Class Datum

Dynamically Allocated Data Members

```
#ifndef Worker_h
#define Worker_h

#include "Algo.h"

class Worker {
public:
    Worker();
    Worker(const& Worker w);
    Worker(Algo* algo);
    Worker(const Algo& algo);

    ~Worker();

    void setAlgo(Algo* algo);

private:
    Algo* alg_;
};
#endif
```

```
#ifndef Algo_h
#define Algo_h

class Algo {
public:
    Algo() { params_ = 0; }
    Algo(const Algo& algo) {
        params_ = algo.params_;
    }

    double compute(const double& arg) const;

private:
    int params_;
};
#endif
```

- Data member is a pointer!
- How would you implement class Worker ?
- Why so many different constructors?

Possible Implementation of Worker

```
#include "Worker.h"

Worker::Worker() {
    alg_ = new Algo();
}

Worker::Worker(Algo* algo) {
    alg_ = algo;
}

Worker::Worker(const& Worker w) {
    alg_ = w.alg_;
}

Worker::Worker(const Algo& algo) {
    alg_ = new Algo(algo);
}

Worker::~Worker() {
    delete alg_;
}

void Worker::setAlgo(Algo* algo) {
    cout << "Worker::setAlgo changed alg_
from "
    << alg_
    << " to " << algo << endl;
    alg_ = algo;
}
```

- Implementation far from being OK
- Identify errors and suggest solution

```
// app0.cpp
// testing Worker class

#include <iostream>
using namespace std;

#include "Worker.h"
#include "Algo.h"

int main() {

    Worker work1;
    // dynmic allocation
    Algo* alg1 = new Algo();
    work1.setAlgo( alg1 );
    work1.setAlgo( new Algo() );
    delete alg1;

    return 0;
}
```

```
$ g++ -Wall -o app0 app0.cpp Algo.cc Worker.cc
$ ./app0
Worker() alg_: 0x6a0290
Worker::setAlgo changed alg_ from 0x6a0290 to 0x6a06a8
Worker::setAlgo changed alg_ from 0x6a06a8 to 0x6a06b8
~Worker() deleting alg_: 0x6a06b8
```

Same data member for `w1` and `work2` : bug of feature?

```
#include "Worker.h"

Worker::Worker() {
    alg_ = new Algo();
    // even better: alg_ = 0;
}

Worker::Worker(Algo* algo) {
    alg_ = algo;
}


Worker::Worker(const& Worker w) {
    alg_ = w.alg_;
}

Worker::Worker(const Algo& algo) {
    alg_ = new Algo(algo);
}

Worker::~Worker() {
    delete alg_;
}

void Worker::setAlgo(Algo* algo) {
    alg_ = algo;
}
```

```
Worker w1 ( new Algo() );
Worker work2( w1 )
```



- Both object point to same dynamically allocated `Algo`
- Changing parameters of `w1` affects `work2`!

Possible Problem with Sharing pointers

```
#ifndef Worker_h
#define Worker_h

#include "Algo.h"

class Worker {
public:
    Worker();
    Worker(const& Worker w);
    Worker(Algo* algo);
    Worker(const Algo& algo);

    ~Worker();

    void setAlgo(Algo* algo);

    Algo* algo()
        { return alg_;}

private:
    Algo* alg_;
};
#endif
```

```
Worker w1 ( new Algo() );

// same algo used in work2
Worker work2( w1 );

// change params of algo of w1
w1.algo()->setParam(0, 1.23);
```

`w1.algo()` returns pointer to `w1::alg_`

`Algo::setParam(i, value)` is a method of class `Algo` to change value of `ith` parameter

- Since both `w1` and `work2` point to same `Algo` object, the above code will change behavior for both `w1` and `work2`
- User of `work2` might not even know nor understand why his/her algorithm has changed!

One Solution: one **Algo** for each **Worker**

```
#include "Worker.h"

Worker::Worker() {
    alg_ = new Algo();
}



Worker::Worker(Algo* algo) {
    alg_ = algo;
}

Worker::Worker(const& Worker w) {
    alg_ = new Algo( w.alg_ );
}

Worker::Worker(const Algo& algo) {
    alg_ = new Algo(algo);
}
```

```
Worker w1 ( new Algo() );
Worker work2( w1 )
```

- Same code as before but different behavior
- Instead of using the same object we clone `w1::alg_`
- `Work2::alg_` is anew dynamically allocated object that has the same parameters of `w1::alg_`
- Two independent object that can be configured separately



General guidelines for dynamically allocated members

- There are really no general solutions
- Very much depends on specific use case for individual classes
- If all workers MUST or should use the same algorithm then our first implementation was fine
 - But in general having object that can change without user explicitly calling any of its methods is a red flag pointing to weakness
- Very often objects must be fully independent from each other

Operators

Operation between Datum Objects

- Since Datum represents user data we could imagine having

```
Datum d1(-3.87,0.16);  
Datum d2(6.55,2.1);  
  
Datum d3 = d1.plus( d2 );  
  
Datum d4 = d1.minus( d2 );  
  
Datum d5 = d1.product( d2 );
```

- These functions are easy to implement and provide behavior similar to doubles, ints, floats
- But they are functions not operators! They look different from what we are used to do with simple numbers

Operators

- C++ has a variety of built-in operators for built-in types

```
int i = 8;  
int j = 10;  
  
int l = i + j;  
int k = i * j;
```

- C++ allows you to implement such built-in operators also for user-defined types (classes!)

```
Datum d1(-3.87,0.16);  
Datum d2(6.55,2.1);  
  
Datum d3 = d1 + d2;
```

- This is called overloading of operators
 - We need to tell the compiler what to do when adding two Datum objects!

C++ Operators

- Binary operators require two operands
 - right-hand and left-hand operands

- Unary Operators

+	+=	<<=
-	-=	==
*	*=	!=
/	/=	<=
%	%=	>=
^	^=	&&
&	&=	
	=	,
>	>>	()
<	<<	[]
=	>>=	->*

+
-
*
&
->
~
!
++
--

Example of Overloaded Operator

```
class Datum {
public:
    // interface same as before

    Datum operator+( const Datum& rhs ) const;

private:
    // same data members
};
#endif
```

```
// appl.cpp
#include <iostream>
using namespace std;

#include "Datum.h"

int main() {
    Datum d1( 1.2, 0.3 );
    Datum d2( -0.4, 0.4 );
    cout << "input data d1 and d2: " << endl;
    d1.print();
    d2.print();

    Datum d3 = d1 + d2;

    cout << "output d3 = d1+d2 " << endl;
    d3.print();

    Datum d4 = d1.operator+( d2 );
    d4.print();

    return 0;
}
```

```
#include "Datum.h"
#include <iostream>
#include <cmath>

// other member functions same as before

Datum Datum::operator+( const Datum& rhs) const {

    // sum of central values
    double val = value_ + rhs.value_;

    // assume data are uncorrelated.
    // sum in quadrature of errors
    double err = sqrt( error_*error_ +
                      (rhs.error_)*(rhs.error_) );

    // result of the sum
    return Datum(val,err);
}
```

```
$ g++ -Wall -o appl appl.cpp Datum.cc
$ ./appl
input data d1 and d2:
datum: 1.2 +/- 0.3
datum: -0.4 +/- 0.4
output d3 = d1+d2
datum: 0.8 +/- 0.5
datum: 0.8 +/- 0.5
```

Understanding Overloading of Operators: the syntax

```
Datum Datum::operator+( const Datum& rhs ) const {  
  
    // sum of central values  
    double val = value_ + rhs.value_;  
  
    // assume data are uncorrelated.  
    // sum in quadrature of errors  
    double err = sqrt( error_*error_ +  
                      (rhs.error_)*(rhs.error_) );  
  
    // result of the sum  
    return Datum(val,err);  
}
```

- **operator+** is a member function of class Datum
 - it returns a Datum object in output by value
 - it has **one argument** called rhs
 - it is a **constant** function: can not modify the object it is applied to
- In this example we assume data points are not correlated
 - values are added
 - error on the sum is the sum in quadrature of the errors

Using Operators with Objects

- Operators can be called on objects exactly like any other member function of a class

```
Datum d1( 1.2, 0.3 );  
Datum d2( -0.4, 0.4 );  
  
Datum d4 = d1.operator+( d2 );
```

- `operator+` is called on object `d1` with argument `d2` and result is stored in `d4`
- However, since they are operators, they can also be used like the operators for the built-in C++ types

```
Datum d1( 1.2, 0.3 );  
Datum d2( -0.4, 0.4 );  
  
Datum d3 = d1 + d2;
```

Operator versus Function

```
#ifndef Datum_h
#define Datum_h
// Datum.h
#include <iostream>
using namespace std;

class Datum {
public:
    Datum();
    Datum(double x=1.0, double y=0.0);
    Datum(const Datum& datum);
    ~Datum() { };

    double value() const { return value_; }
    double error() const { return error_; }
    double significance() const;
    void print() const;

    Datum operator+( const Datum& rhs ) const;
    Datum sum( const Datum& rhs ) const;

private:
    double value_;
    double error_;
};
#endif
```

```
Datum Datum::operator+( const Datum& rhs) const {

    // sum of central values
    double val = value_ + rhs.value_;
    // assume data are uncorrelated. sum in quadrature of errors
    double err = sqrt( error_*error_ + (rhs.error_)*(rhs.error_) );

    // result of the sum
    return Datum(val,err);
}

Datum Datum::sum( const Datum& rhs) const {

    // sum of central values
    double val = value_ + rhs.value_;
    // assume data are uncorrelated. sum in quadrature of errors
    double err = sqrt( error_*error_ + (rhs.error_)*(rhs.error_) );

    // result of the sum
    return Datum(val,err);
}
```

```
int main() {
    Datum d1( 1.2, 0.3 );
    Datum d2( -0.4, 0.4 );

    Datum d3 = d1 + d2;
    Datum d4 = d1.sum( d2 );
    d3.print();
    d4.print();

    return 0;
}
```

```
$ g++ -Wall -o app2 app2.cpp Datum.cc
datum: 0.8 +/- 0.5
datum: 0.8 +/- 0.5
```

Why is operator+ constant?

```
Datum Datum::operator+( const Datum& rhs ) {  
  
    // sum of central values  
    double val = value_ + rhs.value_  
  
    // assume data are uncorrelated.  
    // sum in quadrature of errors  
    double err = sqrt( error_*error_ +  
                      (rhs.error_)*(rhs.error_) );  
  
    // result of the sum  
    return Datum(val,err);  
}
```

```
// app3.cpp  
#include <iostream>  
using namespace std;  
  
#include "Datum1.h"  
  
int main() {  
    const Datum d1( 1.2, 0.3 );  
    const Datum d2( -0.4, 0.4 );  
  
    Datum d3 = d1 + d2;  
    d3.print();  
  
    return 0;  
}
```

```
$ g++ -Wall -o app3 app3.cpp Datum1.cc  
app3.cpp: In function `int main()':  
app3.cpp:12: error: passing `const Datum' as `this' argument of `  
Datum Datum::operator+(const Datum&)' discards qualifiers
```

- As usual, if not declared constant you can't call it constant objects
- Adding constant objects is perfectly reasonable
 - Your mistake! operator+ MUST be constant!

Rules of the Game: What You Can or Cannot Do

- You can overload any of the built-in C++ operators for your classes
- Overload operators for classes should mimic functionality of built-in operators for built-in types
 - operator * should not be implemented as a division!
 - Purpose of overloading operators is to extend the C++ language for custom user types (classes)
 - Overload only operators that are meaningful
 - What is the meaning of ++ operator for class Datum ??
- You CANNOT
 - create new operators but only overload existing ones
 - change meaning of operators for built-in types
 - change arity of operators: a binary operator can not be overloaded to become a unary operator

Assignment Operator Datum: :operator=(const Datum& rhs)

```
class Datum {
public:
    Datum();
    Datum(double x, double y);
    Datum(const Datum& datum);
    ~Datum() { };

    double value() const { return value_; }
    double error() const { return error_; }
    double significance() const;
    void print() const;

    Datum operator+( const Datum& rhs ) const;
    Datum sum( const Datum& rhs ) const;

    const Datum& operator=( const Datum& rhs );

private:
    double value_;
    double error_;
};
```

```
const Datum& Datum::operator=(const Datum& rhs) {
    value_ = rhs.value_;
    error_ = rhs.error_;

    return *this;
}
```

Who is this ?

```
// app4.cpp
#include <iostream>
using namespace std;

#include "Datum.h"

int main() {
    const Datum d1( 1.2, 0.3 );
    Datum d2( -0.4, 0.4 );

    Datum d3 = d1;
    d3.print();

    Datum d4;
    d4.operator=(d2);
    d4.print();

    return 0;
}
```

```
$ g++ -Wall -o app4 app4.cpp Datum.cc
$ ./app4
datum: 1.2 +/- 0.3
datum: -0.4 +/- 0.4
```

This operator cannot be constant...
We need to modify the object it is applied to!

Another Example of Use of Assignment Operator

```
// app5.cpp
#include <iostream>
using namespace std;

#include "Datum.h"

int main() {
    Datum d1( 1.2, 0.3 );
    const Datum d2 = d1; // OK.. init the constant

    Datum d3( -0.2, 1.1 );
    d2 = d3; // error!

    return 0;
}
```

```
$ g++ -Wall -o app5 app5.cpp Datum.cc
app5.cpp: In function `int main()':
app5.cpp:13: error: passing `const Datum' as `this' argument of
`const Datum& Datum::operator=(const Datum&)' discards qualifiers
```

Special Pointer `this` in a Class

- Special pointer provided in C++
- Allows an object to get a pointer to itself from within any member function of the class
- Useful when an object (instance of a class) has to compare itself with other objects
- Particularly useful for overloading operators
 - many operators are used to modify an object: `=`, `+=`, `*=`, etc.
 - All these operators should return an object of the type of the class
 - When overloading you want an object to modify itself AND return itself

One More Example of `this`

```
// this.cpp
#include <iostream>
#include <string>
using namespace std;

class Example {
public:
    Example() { name_ = ""; }
    Example(const string& name);
    void printSelf() const;
private:
    string name_;
};

Example::Example(const string& name) {
    name_ = name;
}

void
Example::printSelf() const {
    cout << "name: " << name_
         << "\t this: " << this
         << endl;
}
```

```
int main() {
    Example ex1("ex1");
    ex1.printSelf();

    cout << "&ex1: " << &ex1 << endl;

    return 0;
}
```

```
$ g++ -o this this.cpp
$ ./this
name: ex1           this: 0x23eef0
&ex1: 0x23eef0
```

**`this` is the reference of `ex1`
accessible from within `ex1`!**